

LabelWorks LW-1000P (Continental AC adapter)



The hard-working label maker that offers the widest range of connectivity choices and can be used with iOS and Android devices.

This label maker allows you to create and print labels easily, as you can print from your computer or directly from an iOS or Android device. Featuring fast 35mm/sec print speeds, multiple connectivity options and a top-loading tape feed, this professional label maker will be great addition to your workplace.

Widest range of connectivity

You can print from your computer, or download the free Epson iLabel app¹ to create and print labels from your iOS or Android device. You can also connect to the LW-1000P without the need for a router, thanks to the wireless device-to-device connectivity – perfect for use with your smart device or if a LAN is unavailable. It can also be used over the LAN as it has Ethernet and Wi-Fi connectivity too.

Smart device label maker

With its flexible connectivity options, you can either print from your computer, or download the free Epson iLabel app to create and print custom labels directly from your iOS or Android device.

Smart device label maker

Fast, productive printing

Boasting print speeds of up to 35mm/sec and a 360dpi print quality, this is Epson's fastest LabelWorks model and ideal for printing multiple labels. The integrated trim cutter can round label edges, which helps reduce peeling once labels are attached, while the top-loading tape feed helps make operating the LW-1000P so easy. And it can print on labels up to 36mm in width.

Fast, productive printing

DATASHEET / BROCHURE



KEY FEATURES

- **User flexibility**
A wide range of connectivity options
- **Productive**
Fast print speeds of up to 35mm/sec
- **Choice of label widths**
Prints label widths of up to 36mm-wide
- **Versatile**
Comes with the Epson iLabel app
- **Value-for-money**
Long tapes up to 9m, small left/right label margins

PRODUCT SPECIFICATIONS

PRINTING

Tape width	6 mm, 9 mm, 12 mm, 18 mm, 24 mm, 36 mm
Printing resolution	360 dpi
Printable Dot Numbers	384 dot numbers
Print height	27 mm
Print speed	35 mm/sec

PRINT SETTINGS

Auto increment	Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time
Mirror printing	Yes
Vertical printing	Yes
Barcodes	Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E
Wire wrap	Yes
Flag	Yes
Margin setting - Label Editor	1mm, Fixed, Manual, Auto
Setting Area	Custom

FONTS & STYLES

Fonts	Depending on user's PC
Font Size	custom
Frames	86 Frames
Tables	8 Tables
Style	Bold, Bold & Italic, Bold & Italic & Outline, Bold & Italic & Shadow, Bold & Outline, Bold & Shadow, Double line strikethrough, Italic, Italic & Outline, Italic & Shadow, Normal, Outline, Reverse video, Shadow, Shadow & Outline, Shadow & Outline & Italic, Strikethrough, Underline

MEMORY

Symbols	466
Memory file (saved labels)	Depending on user's PC / 800 templates available

HARDWARE

Cutter	Auto, Half, Trim
Detection	Cover open, Tape end, Tape width

OTHER FUNCTIONS

Clock	Yes
-------	-----

GENERAL

Energy Use	29 W (printing), 3,8 W (Ready), 0,23 W (Power off)
Energy Star	Yes
Low battery indicator	Yes
Product dimensions	123 x 153 x 139 mm (Width x Depth x Height)
Product weight	1.050 g, without tape & batteries
Colour	Green, Pale Grey

CONNECTIVITY

Interfaces	Ethernet interface (100 Base-TX / 10 Base-T), WLAN, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0 Type B, USB 1.1 Type A (optional), USB 2.0 Type A (optional)
System requirements	Approx. 100 MB HDD space

OTHER

Warranty	36 months Carry in Optional warranty extension available
----------	---

LabelWorks LW-1000P (Continental AC adapter)

WHAT'S IN THE BOX

- 1 x 9m Tape
- CD Manual
- Driver and utilities (CD)
- Epson Label Editor (CD-ROM)
- Installation/safety manual
- Main unit
- Power cable
- Supplies Catalogue
- USB cable
- User manual (CD)
- Warranty Documents
- Wi-Fi/network setup guide

SUPPORTED CONSUMABLES

LabelWorks LW-1000P (Continental AC adapter)

Tape Width	Tape Series	Tape & Text (Ink Ribbon) Colour	Customer Code
6 mm	Pastel colour	Abc 123	LC-2RBP9
6 mm	Pastel colour	Abc 123	LK-2YBP
6 mm	Standard	Abc 123	LK-2WBN
6 mm	Transparent	Abc 123	LK-2TBN
6 mm	Pastel colour	Abc 123	LK-2RBP
9 mm	Standard	Abc 123	LC-3WRN9
9 mm	Strong adhesive	Abc 123	LK-3WBW
9 mm	Strong adhesive	Abc 123	LC-3TBW9
9 mm	Strong adhesive	Abc 123	LK-3YBW
9 mm	Pastel colour	Abc 123	LK-3RBP
9 mm	Standard	Abc 123	LK-3WBN
9 mm	Strong adhesive	Abc 123	LK-3TBW
9 mm	Pastel colour	Abc 123	LC-3RBP9
9 mm	Transparent	Abc 123	LK-3TBN
9 mm	Standard	Abc 123	LK-3WRN
9 mm	Pastel colour	Abc 123	LK-3YBP
12 mm	Standard	Abc 123	LC-4WRN9
12 mm	Metallic colour	Abc 123	LC-4SBM9
12 mm	Strong adhesive	Abc 123	LC-4TBW9
12 mm	Fluorescent	Abc 123	LC-4YBF9
12 mm	Iron-on	Abc 123	LK-4WBQ
12 mm	Satin Ribbon Tape	Abc 123	LK-4RKK
12 mm	Matte paper	Abc 123	LK-4WBB
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4WBA3
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4WBA5
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4YBA3
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4YBA5
12 mm	Standard	Abc 123	LK-4WBN
12 mm	Pastel colour	Abc 123	LK-4RBP
12 mm	Matte	Abc 123	LK-4SBE
12 mm	Pastel colour	Abc 123	LK-4YBP
12 mm	Strong adhesive	Abc 123	LK-4TBW
12 mm	Vivid	Abc 123	LK-4BWV
12 mm	Metallic colour	Abc 123	LK-4SBM
12 mm	Fluorescent	Abc 123	LK-4YBF
12 mm	Satin Ribbon Tape	Abc 123	LK-4HKK
12 mm	Standard	Abc 123	LK-4WRN
12 mm	Strong adhesive	Abc 123	LK-4WBW
12 mm	Transparent	Abc 123	LK-4TBN
12 mm	Fluorescent	Abc 123	LK-4GBF
12 mm	Transparent	Abc 123	LK-4TWN
12 mm	Metallic colour	Abc 123	LK-4KBM
12 mm	Strong adhesive	Abc 123	LK-4YBW
12 mm	Standard	Abc 123	LK-4WLN
12 mm	Satin Ribbon Tape	Abc 123	LK-4KBK
12 mm	Satin Ribbon Tape	Abc 123	LK-4PBK
12 mm	Heat Resistant	Abc 123	LK-4WBH
12 mm	Satin Ribbon Tape	Abc 123	LK-4LBK
18 mm	Matte	Abc 123	LK-5SBE
18 mm	Pastel colour	Abc 123	LK-5RBP
18 mm	Strong adhesive	Abc 123	LK-5TBW
18 mm	Pastel colour	Abc 123	LK-5YBP
18 mm	Glow-in-the-Dark	Abc 123	LK-5ZBU
18 mm	Fluorescent	Abc 123	LK-5YBF
18 mm	Transparent	Abc 123	LK-5TWN
18 mm	Fluorescent	Abc 123	LK-5GBF
18 mm	Standard	Abc 123	LK-5WBN
18 mm	Strong adhesive	Abc 123	LK-5WBW
18 mm	Standard	Abc 123	LK-5WRN
18 mm	Vivid	Abc 123	LK-5BWV
18 mm	Pastel colour	Abc 123	LC-5RBP9
18 mm	Reflective	Abc 123	LK-5SBR
18 mm	Transparent	Abc 123	LK-5TBN
18 mm	Pastel colour	Abc 123	LC-5YBP9
18 mm	Standard	Abc 123	LC-5WRN9
18 mm	Transparent	Abc 123	LC-5TBN9

LOGISTICS INFORMATION

SKU	C51CD06010
EAN code	8715946534138
Country of Origin	China
Layer	15 Units

Epson Deutschland GmbH
Otto-Hahn-Str. 4
D-40670 Meerbusch
Info-Line: 02159 92 79 500
Telefax: +49 (0) 2159/538-3000
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Download Epson iLabel app available from the Apple App Store and Google Play

EPSON[®]